



FOCUSED ON OVERCOMING INDUSTRY CHALLENGES

The global soft drinks market is one of the most dynamic and fast-moving sectors in the industry. With new brands constantly entering the market, packaging innovation and complexity, and ever-evolving consumer tastes, the challenges faced by the industry are more difficult than ever before.

Satisfying customer expectations of quality and price places huge pressure on producers to streamline operations and maximise efficiency – it is therefore vital to find more effective solutions at every stage of the process in order to remain competitive.

The expert solution for soft drinks

Whether it be the purification of compressed air and CO_2 or the on-site generation of Nitrogen, Parker play a key role in delivering excellent beverage quality and production efficiency. Working with household-name soft drink brands, bottling partners and OEM's around the world, we enable customers to succeed in this highly competitive marketplace.

Hyperchill plus





Carbonation

Carbonated drinks continue to dominate beverage markets around the world. The 'fizz' from the addition of CO_2 is a vital element of the bottling process. But along with effervescence, it brings an ever-present risk of product contamination – with potentially expensive consequences in the shape of product recall, off-flavours and reputational damage.

PET bottle blowing

PET remains one of the principle bottling formats, used throughout the beverage industry. And whether blow molding takes place under aseptic conditions within the filling process, or in a separate area, inadequately treated compressed air can have a serious impact on machine performance and PET bottle quality, such as clouding, loss of strength and internal bubbles and pockmarks.

Process nitrogen

Food grade nitrogen is required for effective ambient air displacement to prevent oxidation at various stages throughout the bottling process, including blanketing, purging, counter pressure and pressure transfer.

Process compressed air


From process automation to packaging, compressed air is a vital utility in all bottling plants. It is essential to provide clean, dry, oil-free (ISO 8573-1 class 0) air for all bottling applications in order to keep compressed air contaminant-free and efficient – and production flowing smoothly.

THE COMPLETE SOLUTION


FROM A SINGLE, INDUSTRY-LEADING MANUFACTURER

From energy-efficient compressed air treatment and PET bottling process cooling, nitrogen generation and storage to CO₂ treatment, Parker provides a seamless range of expert solutions, providing maximum technical synergy and ensuring consistency and quality, every step of the way.

Parker offer expert solutions at every stage of the bottling process.











FOCUSED ON

WORLD-LEADING BEVERAGE PROCESSING AND PACKAGING SOLUTIONS

Being the partner of choice for some of the world's largest drinks brands and bottlers, Parker has developed a range of specialist solutions with a focus on quality, consistency, energy efficiency and cost-effectiveness.

PET BOTTLE BLOWING

Inadequately treated compressed air can have serious implications on the PET bottle blowing process, meaning a reliable supply of clean, dry, technically oil-free air and highly accurate temperature control is critical.

Parker offers solutions for efficient and high quality PET blow molding and processing: from a range of high-pressure filters and dryers to combat air contamination, to chillers that ensure cost-effective and precise temperature control.



PARKER SOLUTIONS

HYPERCHILL PLUS

A range of high performance industrial process chillers offering extreme efficiency and reliability.

- Compact and configurable
- Easy to install and operate
- Maximum up-time
- Low energy consumption

HDK-MT

The most compact, durable and reliable high-pressure dryer on the market.

- Robust and compact
- Maximum energy efficiency
- Corrosion resistant components

IP50

Highly efficient filters that provide a level of protection tailored to your applications.

- Ease of installation
- Compact housing design

"Parker is our partner of choice as they offer a huge range of cost-effective and high quality solutions."




CO₂ PROTECTION

It's very easy for harmful CO_2 contamination to take place at various steps of the carbonation process – for example, in transit from production site, with plasticisers and phthalates leached from delivery and transfer hoses into storage vessels.

Parker's advanced filtration and adsorption technologies will help you to overcome CO_2 contamination at every stage. Our tried and tested solutions, such as the Parker PCO2, enables bottlers to meet strict ISBT quality standards.







PARKER SOLUTIONS

PC₀₂

The tried and tested CO₂ protection of choice for high quality producers.

The benchmark solution for use in bottling plants, Parker's PCO2 offers advanced, multi-layer protection against the harmful effects of contaminated CO_2 in the drinks carbonation process. It has a three-layer adsorbent cartridge, together with advanced filtration designed to remove CO_2 contamination and ensure ISBT guidelines for CO_2 quality in the bottle is met.

Already installed in many of the world's bottling plants, the PCO2 requires only moderate capital investment, simple installation and easy, regular maintenance, making it a practical solution for every size of operation. And with a modular design, it offers the flexibility to expand in order to cope with increased factory throughput.

ISBT QUALITY GUIDELINES FOR BEVERAGE GRADE CO₂

| Purity | 99.9% v/v min. |
|--|---|
| Moisture (H ₂ 0) | 20 ppm v/v max. |
| Oxygen (O ₂) | 30 ppm v/v max. |
| Nitrogen Monoxide (NO) | 2.5 ppm v/v max. |
| Nitrogen Dioxide (NO ₂) | 2.5 ppm v/v max. |
| Methanol (MeOH) | 10 ppm v/v max. |
| Total Volatile Hydrocarbons (THC) (as methane) | 50 ppm v/v max. (including 20 ppm v/v max. as Total Non-Methane Hydrocarbons [TNMHC]) |
| Acetaldehyde (AA) | 0.2 ppm v/v max. |
| Aromatic Hydrocarbon (AHC) | 20 ppb v/v max. |
| Total Sulfur Content (TSC as S) | 0.1 ppm v/v max. (total sulphur-containing impurities excluding sulfur dioxide) |
| Sulfur Dioxide (SO ₂) | 1 ppm v/v max. |





INERT GAS PROTECTION

Soft drinks are very susceptible to oxidation, so it is crucial to remove oxygen from the manufacturing and packaging process. In order to do this, it is important to provide a constant, continuous and pure supply of food grade nitrogen for oxygen displacement.

Parker NITROSource is the world's most energy-efficient on-site nitrogen gas generator, offering total control over supply and the lowest total lifetime cost of ownership. And our adsorption dryers provide energy-efficient performance control and monitoring that's second to none.

PARKER SOLUTIONS

NITROSOURCE

Ensuring a constant, 24/7 supply of nitrogen that's both stable and pure – on-tap whenever it is needed – your production line will never run out of nitrogen, ensuring maximum 'up time'.

And unlike cylinder or bulk supply, there are no delivery or service charges, no wasted gas, no safety issues and no unexpected price rises. Instead you can plan ahead, on the basis of low energy consumption and running costs.

Lowest total cost of ownership

Enjoy energy saving technology, matching compressed air flow to the nitrogen outlet flow and purity, and lower cost of maintenance, with the Carbon Molecular Sieve delivering nitrogen efficiently to ensure longer working life.

Food grade gas, food industry compliance

A risk-free choice for bottling: material, design and experience combines to provide a reliable and food industry compliant supply of food and beverage grade gas quality, on demand.

Expands with your demand

Parker NITROSource has a modular design, which means you can simply add extra generators as your requirement grows.

PARKER SOLUTIONS

DRYING SOLUTIONS

Advanced compressed air tandem drying technology and heatless compressed air desiccant dryers.

- Ultimate energy efficiency
- Lowest lifetime cost
- Constant dew point performance
- Compact design
- Reliable, dry, oil-free air
- Maximum energy efficiency
- Space saving and light weight
- Modular and flexible





"Compressed air contamination removal is essential in order to keep production running smoothly and efficiently."

Operations Manager, Beverage Company



With ten different types of major contaminant and four risk-points in the compressed air system, it can be easy for contamination to take place during the bottling process. This can cause numerous problems; therefore contamination must be reduced both quickly and efficiently.

Parker engineers the ideal filtration and drying solutions for compressed air contamination removal, offering high quality, reliable and cost-effective contamination removal to energy efficient adsorption dryers and market-leading refrigerant dryers.



PARKER SOLUTIONS

FILTERS

Compact and modular oil vapour removal filters designed to offer maximum up-time.

- Compact, light-weight design
- Increased up-time and energy efficiency
- Low energy consumption
- Lowest total cost of ownership
- Guaranteed lifetime air quality



REFRIGERATION AIR DRYERS

A range of refrigerated air drying solutions using advanced refrigeration technology.

- Superior efficiency
- Low operating costs
- Extremely compact and reliable design

TANDEM AIR DRYER

Advanced compressed air tandem drying technology.

- Ultimate energy efficiency
- Lowest lifetime cost
- Constant dew point performance
- Compact design

HEATLESS AIR DRYER

Heatless compressed air desiccant dryers.

- Reliable dry, oil-free air
- Maximum energy efficiency
- Space saving and lightweight
- Modular and flexible

FOCUSED ON INNOVATION AND QUALITY FOR OEMS

At Parker, we work closely with customers' design teams to ensure that their requirements are fully satisfied from the outset.

We bring unparalleled expertise in compressed air treatment and gas generation, as well as vast technical know-how gained at the sharp end of global manufacturing, including PET bottling, carbonation, process nitrogen and process compressed air. By combining our experience with our customers, we are able to develop tailored engineering solutions.

From project brief to final assembly, we work hand in glove with OEM partners to ensure outstanding system performance and efficiency. With world-class innovation, unique product specification and quality assured manufacturing, Parker means success is built-in.

- Complete compressed air treatment and gas generation system design
- Customised solutions for OEM partners including product branding
- Global engineering know-how and world-class manufacturing expertise

FOR MORE INFORMATION OR A
DETAILED DISCUSSION ABOUT YOUR
SPECIFIC REQUIREMENTS PLEASE
CONTACT PARKER OR AN AUTHORISED
PARKER DISTRIBUTOR.





Parker Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates,

Dubai

Tel: +971 4 8127100 parker.me@parker.com

AT – Austria, Wiener Neustadt Tel: +43 (0)2622 23501-0 parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt

Tel: +43 (0)2622 23501 900 parker.easteurope@parker.com

AZ - Azerbaijan, Baku Tel: +994 50 2233 458 parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles Tel: +32 (0)67 280 900 parker.belgium@parker.com

BG - Bulgaria, Sofia Tel: +359 2 980 1344 parker.bulgaria@parker.com

BY - Belarus, Minsk Tel: +48 (0)22 573 24 00 parker.poland@parker.com

CH - Switzerland, Etoy Tel: +41 (0)21 821 87 00 parker.switzerland@parker.com

CZ - Czech Republic, Klecany Tel: +420 284 083 111 parker.czechrepublic@parker.com

DE – Germany, Kaarst Tel: +49 (0)2131 4016 0 parker.germany@parker.com

DK - Denmark, Ballerup Tel: +45 43 56 04 00 parker.denmark@parker.com

ES - Spain, Madrid Tel: +34 902 330 001 parker.spain@parker.com

FI - Finland, Vantaa Tel: +358 (0)20 753 2500 parker.finland@parker.com

FR - France, Contamine s/Arve Tel: +33 (0)4 50 25 80 25 parker.france@parker.com

GR - Greece, Athens Tel: +30 210 933 6450 parker.greece@parker.com **HU – Hungary,** Budaörs Tel: +36 23 885 470 parker.hungary@parker.com

IE - Ireland, Dublin Tel: +353 (0)1 466 6370 parker.ireland@parker.com

IL - Israel

Tel: +39 02 45 19 21 parker.israel@parker.com

IT - Italy, Corsico (MI) Tel: +39 02 45 19 21 parker.italy@parker.com

KZ - Kazakhstan, Almaty Tel: +7 7273 561 000 parker.easteurope@parker.com

NL - The Netherlands, Oldenzaal Tel: +31 (0)541 585 000 parker.nl@parker.com

NO - Norway, Asker Tel: +47 66 75 34 00 parker.norway@parker.com

PL - Poland, Warsaw Tel: +48 (0)22 573 24 00 parker.poland@parker.com

PT - Portugal

Tel: +351 22 999 7360 parker.portugal@parker.com

RO – Romania, Bucharest Tel: +40 21 252 1382 parker.romania@parker.com

RU - Russia, Moscow Tel: +7 495 645-2156 parker.russia@parker.com

SE - Sweden, Spånga Tel: +46 (0)8 59 79 50 00 parker.sweden@parker.com

SK - Slovakia, Banská Bystrica Tel: +421 484 162 252 parker.slovakia@parker.com

SL – Slovenia, Novo Mesto Tel: +386 7 337 6650 parker.slovenia@parker.com

TR - Turkey, Istanbul Tel: +90 216 4997081 parker.turkey@parker.com

UA – Ukraine, Kiev Tel: +48 (0)22 573 24 00 parker.poland@parker.com **UK - United Kingdom,** Warwick Tel: +44 (0)1926 317 878 parker.uk@parker.com

ZA – South Africa, Kempton Park Tel: +27 (0)11 961 0700 parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario Tel: +1 905 693 3000

US - USA, Cleveland Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill Tel: +61 (0)2-9634 7777

CN – China, Shanghai Tel: +86 21 2899 5000

HK – Hong Kong Tel: +852 2428 8008

IN - India, Mumbai Tel: +91 22 6513 7081-85

JP – Japan, Tokyo Tel: +81 (0)3 6408 3901

KR - South Korea, Seoul Tel: +82 2 559 0400

MY - Malaysia, Shah Alam Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington Tel: +64 9 574 1744

SG – Singapore Tel: +65 6887 6300

TH - Thailand, Bangkok Tel: +662 186 7000

TW - Taiwan, Taipei Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires Tel: +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos Tel: +55 800 727 5374

CL - Chile, Santiago Tel: +56 2 623 1216

MX - Mexico, Toluca Tel: +52 72 2275 4200

© 2016 Parker Hannifin Corporation. All rights reserved.

BROFOBOTEX-00-EN



EMEA Product Information Centre Free phone: 00 800 27 27 5374

(from AT, BE, CH, CZ, DE, DK, EE, ES, FI, FR, IE, IL, IS, IT, LU, MT, NL, NO, PL, PT, RU, SE, SK, UK, ZA)

US Product Information Centre Toll-free number: 1-800-27 27 537

www.parker.com

Your local authorized Parker distributor